

## MATERIAL SAFETY DATA SHEET

Date Printed: 10/31/2006

Date Updated: 04/11/2006

Version 1.17

## Section 1 - Product and Company Information

Product Name	HYDROCHLORIC ACID, 37%, A.C.S. REAGENT (POLY-COATED BOTTLES)
Product Number	320331
Brand	SIAL
Company	Sigma-Aldrich
Address	3050 Spruce Street SAINT LOUIS MO 63103 US
Technical Phone:	800-325-5832
Fax:	800-325-5052
Emergency Phone:	314-776-6555

## Section 2 - Composition/Information on Ingredient

Substance Name	CAS #	SARA 313
HYDROCHLORIC ACID >=25%	7647-01-0	No

Ingredient Name	CAS #	Percent	SARA 313
HYDROCHLORIC ACID	7647-01-0	> 25	
WATER	7732-18-5	<= 75	No

Formula	HCl
Synonyms	Acide chlorhydrique (French) * Acido cloridrico (Italian) * Anhydrous hydrochloric acid * Chloorwaterstof (Dutch) * Chlorohydric acid * Chlorowodor (Polish) * Chlorwasserstoff (German) * Hydrochloride * Hydrogen chloride (ACGIH:OSHA) * Muriatic acid * Spirits of salt
RTECS Number:	MW4025000

## Section 3 - Hazards Identification

## EMERGENCY OVERVIEW

Toxic.

Toxic by inhalation. Causes burns. Irritating to respiratory system.

## HMIS RATING

HEALTH: 3

FLAMMABILITY: 0

REACTIVITY: 1

## NFPA RATING

HEALTH: 3

FLAMMABILITY: 0

REACTIVITY: 1

For additional information on toxicity, please refer to Section 11.

## Section 4 - First Aid Measures

#### ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician. Do not induce vomiting.

#### INHALATION EXPOSURE

If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.

#### DERMAL EXPOSURE

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

#### EYE EXPOSURE

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

---

### Section 5 - Fire Fighting Measures

---

#### AUTOIGNITION TEMP

N/A

#### FLAMMABILITY

N/A

#### EXTINGUISHING MEDIA

Suitable: For small (incipient) fires, use media such as foam, dry chemical, or carbon dioxide. For large fires, use media such as foam, dry chemical, carbon dioxide or water.

#### FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.  
Specific Hazard(s): Emits toxic fumes under fire conditions.  
Specific Method(s) of Fire Fighting: For small (incipient) fire extinguishing, use a portable fire extinguisher rated for flammable liquid fires. For large fires, fixed fire suppression systems, such as a sprinkler system, should be capable of extinguishing a flammable liquid fire.

---

### Section 6 - Accidental Release Measures

---

#### PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area.

#### PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

#### METHODS FOR CLEANING UP

Absorb on sand or vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.

---

### Section 7 - Handling and Storage

---

#### HANDLING

User Exposure: Do not breathe vapor. Do not get in eyes, on skin, on clothing.

#### STORAGE

Suitable: Keep tightly closed.

#### SPECIAL REQUIREMENTS

May develop pressure. Open carefully.

---

#### Section 8 - Exposure Controls / PPE

---

##### ENGINEERING CONTROLS

Safety shower and eye bath. Use only in a chemical fume hood.

##### PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.

Hand: Compatible chemical-resistant gloves.

Eye: Chemical safety goggles.

Other: Faceshield (8-inch minimum).

##### GENERAL HYGIENE MEASURES

Wash thoroughly after handling. Discard contaminated shoes. Wash contaminated clothing before reuse.

##### EXPOSURE LIMITS, RTECS

Country	Source	Type	Value
USA	ACGIH	Ceiling	co2 PPM
USA	MSHA Standard	Ceiling	co5 PPM (7 MG/M3)
USA	OSHA.	PEL	CL 5 PPM (7 MG/M3)
New Zealand	OEL		
Remarks:	check ACGIH TLV		
USA	NIOSH	Ceiling	co5 PPM

##### EXPOSURE LIMITS

Country	Source	Type	Value
Poland		NDS	5 MG/M3
Poland		NDSch	10
Poland		NDSP	-

---

#### Section 9 - Physical/Chemical Properties

---

Appearance	Physical State: Liquid
	Color: Faintly yellow Clear
	Odor: Pungent

Property	Value	At Temperature or Pressure
Molecular Weight	36.46 AMU	
pH	N/A	
MP/MP Range	- 114.2 °C	
Freezing Point	N/A - 114.2 °C	
Vapor Pressure	166.991 mmHg	21.1 °C
Vapor Density	1.3 g/l	
Saturated Vapor Conc.	N/A	
SG/Density	1.2 g/cm3	
Bulk Density	N/A	
Odor Threshold	N/A	
Volatile%	N/A	
VOC Content	N/A	
Water Content	N/A	

Solvent Content	N/A
Evaporation Rate	N/A
Viscosity	N/A
Surface Tension	N/A
Partition Coefficient	N/A
Decomposition Temp.	N/A
Explosion Limits	N/A
Flammability	N/A
Autoignition Temp	N/A
Refractive Index	N/A
Optical Rotation	N/A
Miscellaneous Data	N/A
Solubility	N/A

N/A = not available

---

## Section 10 - Stability and Reactivity

---

### STABILITY

Stable: Stable.

Materials to Avoid: Bases, Amines, Alkali metals, Metals, Potassium permanganate, Fluorine, concentrated sulfuric acid, Hexalithium disilicide, Metal acetylides or carbides.

### HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Hydrogen chloride gas.

### HAZARDOUS POLYMERIZATION

Hazardous Polymerization: Will not occur

---

## Section 11 - Toxicological Information

---

### ROUTE OF EXPOSURE

Skin Contact: Causes burns.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: Causes burns.

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

### SIGNS AND SYMPTOMS OF EXPOSURE

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Inhalation may result in spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema.

Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

### TOXICITY DATA

Oral

Man

2.857 mg/kg

LDLO

Remarks: Vascular:BP lowering not characterized in autonomic section. Lungs, Thorax, or Respiration:Respiratory depression. Gastrointestinal:Changes in structure or function of esophagus.

Oral

Woman

420 UL/KG

LDLO

Remarks: Cardiac:Pulse rate. Kidney, Ureter, Bladder:Hematuria.  
Behavioral:Excitement.

Inhalation

Human

1,300 ppm

LCLO

Inhalation

Human

3,000 ppm

LCLO

Inhalation

Rat

3,124 ppm

LC50

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Iritis. Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Olfaction:Other changes.

Inhalation

Mouse

1,108 ppm

LC50

Remarks: Lungs, Thorax, or Respiration:Respiratory stimulation. Skin and Appendages:Skin: After systemic exposure: Dermatitis, other Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Other.

Intraperitoneal

Mouse

40142 UG/KG

LD50

Oral

Rabbit

900 mg/kg

LD50

#### IRRITATION DATA

Eyes

Rabbit

5 mg

30S

Remarks: Rinsed

#### CHRONIC EXPOSURE - CARCINOGEN

Result: This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

#### IARC CARCINOGEN LIST

Rating: Group 3

#### CHRONIC EXPOSURE - TERATOGEN

Species: Rat

Dose: 450 MG/M3/1H  
Route of Application: Inhalation  
Exposure Time: (1D PRE)  
Result: Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Homeostasis

#### CHRONIC EXPOSURE - MUTAGEN

Species: Hamster  
Dose: 30 MMOL/L  
Cell Type: lung  
Mutation test: Cytogenetic analysis

Species: Hamster  
Dose: 8 MMOL/L  
Cell Type: ovary  
Mutation test: Cytogenetic analysis

---

#### Section 12 - Ecological Information

---

No data available.

---

#### Section 13 - Disposal Considerations

---

##### APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, state, and local environmental regulations.

---

#### Section 14 - Transport Information

---

##### DOT

Proper Shipping Name: Hydrochloric acid  
UN#: 1789  
Class: 8  
Packing Group: Packing Group II  
Hazard Label: Corrosive  
PIH: Not PIH

##### IATA

Proper Shipping Name: Hydrochloric acid  
IATA UN Number: 1789  
Hazard Class: 8  
Packing Group: II

---

#### Section 15 - Regulatory Information

---

##### EU DIRECTIVES CLASSIFICATION

Symbol of Danger: C  
Indication of Danger: Corrosive.  
R: 34-37  
Risk Statements: Causes burns. Irritating to respiratory system.  
S: 26-36/37/39-45  
Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

##### US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Toxic.

Risk Statements: Toxic by inhalation. Causes burns. Irritating to respiratory system.

Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### UNITED STATES REGULATORY INFORMATION

SARA LISTED: No

TSCA INVENTORY ITEM: Yes

#### CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes

NDSL: No

---

#### Section 16 - Other Information

---

#### DISCLAIMER

For R&D use only. Not for drug, household or other uses.

#### WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2006 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.